

**From:** [West, Theresa](#)  
**To:** [Enders, Jhana](#)  
**Cc:** [david.durst@tceq.com](#); [eddy.vance@tceq.com](#); [May, Shaun](#); [Orton, Chip](#); [Britten, Brad](#)  
**Subject:** RE: Meeting Notes & Requested Documents (EPA Comments)  
**Date:** Friday, January 6, 2017 12:44:52 PM

---

Thanks ..... will get those revisions incorporated.... theresa

**Theresa West, R.Ph., CEM, TEM**

**APR OEM Project Coordinator**

**806-378-9362**

**Preparedness is knowledge that saves lives!**

+++++ **CONFIDENTIALITY NOTICE** +++++

The information in this e-mail may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this e-mail and its attachments, if any, or the information contained herein is prohibited. If you have received this e-mail in error, please immediately notify the sender by return e-mail and delete this e-mail from your computer system. Thank you.

---

**From:** Enders, Jhana [mailto:Enders.Jhana@epa.gov]

**Sent:** Friday, January 06, 2017 12:37 PM

**To:** West, Theresa

**Cc:** [david.durst@tceq.com](#); [eddy.vance@tceq.com](#); May, Shaun; Orton, Chip; Britten, Brad

**Subject:** Re: Meeting Notes & Requested Documents (EPA Comments)

i (1) Perimeter not parameter

ii Change to "Unified Command (UC)" makes decisions

iii Need to take out the paragraph completely. As I tried to explain in the meeting, the Health Department and Building security need to tell us what the final clearance criteria should be not vice versa. This is not an EPA decision. Based on the clearance criteria provided, we will work with Unified Command to address any outstanding issues or additional items needed for the Health Department and Building Security to make a final decision.

Sent from my iPad

On Jan 6, 2017, at 10:25 AM, West, Theresa <[Theresa.West@amarillo.gov](mailto:Theresa.West@amarillo.gov)> wrote:

Attached you will find the draft minutes from yesterday's meeting. Please review and let me know if I need to make any revisions. I have also attached the requested documents:

Attachments include:

1. Meeting Notes
2. Incident Action Plan
3. Press Releases (English & Spanish)
4. Texas Poison Center Network Procedures
5. Amarillo Laboratory Analytical Report for items relevant to the 1-2-17 Amarillo

Incident concerning Aluminum Phosphide at East 13<sup>th</sup> & Carolyn

I will follow-up with the Health Authority on collecting status of casualties though this will take me a little time as it will be a formalized process. I can contact David Reasoner and set up a call should you need clarification on the lab information.

Thanks everyone, theresa

Amarillo, TX 79105-1971  
Ofc. (806) 378-9362  
Fax. (806) 378-9366  
<http://oem.amarillo.gov>

**THERESA WEST, R.Ph., CEM, TEM**  
OEM PROJECT COORDINATOR  
[theresa.west@amarillo.gov](mailto:theresa.west@amarillo.gov)

The information in this e-mail may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this e-mail and its attachments, if any, or the information contained herein is prohibited. If you have received this e-mail in error, please immediately notify the sender by return e-mail and delete this e-mail from your computer system. Thank you.

<01.03.17\_PR\_OEM\_Further HAZMAT Response.pdf>

<01.03.17\_PR\_OEM\_Further HAZMAT Response (Spanish).pdf>